



Next Generation CCTV Solutions





First Indian Manufacturer of CCTV Camera




Verified "MADE IN INDIA" by DPIIT & Ministry of Commerce and Industry (CIM)



4 State-of-the-Art Manufacturing Units



Customised Solutions for Govt. and Private Sectors





AHD Dome Camera

Silver Series

- Progressive Scan Digital Image Sensor
- Precise Night Vision with Smart IR
- Excellent low light sensitivity
- True Day /Night with IR Cut Filter (ICR)
- OSD Control 4 IN 1 Outputs (AHD-TVI-CVI-CVBS)
- In-Built Mic (Optional)



4 in 1
HD Output



Smart
IR



OSD
Control



Plug n Play



SILVER
SERIES

2 MP

SCAE20D-31

- 2MP AHD Eco Dome Camera
- 3.6mm Lens (2.8/6mm Optional)
- IR Range Up to 20 m
- Plastic Body



SCAB20D-31A

- 2MP AHD Dome Camera
- 3.6mm Lens (2.8/6mm Optional)
- IR Range Up to 20 m
- Built in mic



SCAB20D-31

- 2MP AHD Dome Camera
- 3.6mm Lens (2.8/6mm Optional)
- IR Range Up to 20 m
- Plastic Body



SCAB20D-32

- 2MP AHD Dome Camera
- 3.6mm Lens (2.8/6mm Optional)
- IR Range Up to 25 m
- Plastic Body



5 MP

SCAE50D-31

- 5MP AHD Eco Dome Camera
- 3.6mm Lens (2.8/6mm Optional)
- IR Range Up to 20 m
- Plastic Body



SCAB50D-31

- 5MP AHD Dome Camera
- 3.6mm Lens (2.8/6mm Optional)
- IR Range Up to 20 m
- Plastic Body



SCAB50D-32

- 5MP AHD Dome Camera
- 3.6mm Lens (2.8/6mm Optional)
- IR Range Up to 25 m
- Plastic Body





AHD Bullet Camera

Silver Series

- Progressive Scan Digital Image Sensor
- Precise Night Vision with Smart IR
- Excellent low light sensitivity
- True Day /Night with IR Cut Filter (ICR)
- OSD Control 4 IN 1 Outputs (AHD-TVI-CVI-CVBS)
- In-Built Mic (Optional)



4 in 1
HD Output



Smart
IR



OSD
Control



IP66



SILVER
SERIES

2 MP

SCAE20B-31P

- 2MP AHD Eco Bullet Camera
- 3.6mm Lens (2.8/6mm Optional)
- IR Range Up to 20 m
- IP66 Plastic Body



SCAB20B-31PA

- 2MP AHD Bullet Camera
- 3.6mm Lens (2.8/6mm Optional)
- IR Range Up to 20 m
- In-Built Mic
- IP66 Plastic Body



SCAB20B-31P

- 2MP AHD Bullet Camera
- 3.6mm Lens (2.8/6mm Optional)
- IR Range Up to 20 m
- IP66 Plastic Body



SCAB20B-32P

- 2MP AHD Bullet Camera
- 3.6mm Lens (2.8/6mm Optional)
- IR Range Up to 25 m
- IP66 Plastic Body



5 MP

SCAE50B-31P

- 5MP AHD Eco Dome Camera
- 3.6mm Lens (2.8/6mm Optional)
- IR Range Up to 20 m
- IP66 Plastic Body



SCAB50B-31P

- 5MP AHD Bullet Camera
- 3.6mm Lens (2.8/6mm Optional)
- IR Range Up to 20 m
- IP66 Plastic Body



SCAB50B-32P

- 5MP AHD Bullet Camera
- 3.6mm Lens (2.8/6mm Optional)
- IR Range Up to 25 m
- IP66 Plastic Body





AHD Color+ Camera

Silver Series

- Progressive Scan Digital Image Sensor
- Smart White LEDs for Color Night Vision
- OSD Control 4 IN 1 Outputs (AHD-TVI-CVI-CVBS)
- In-Built Mic (Optional)



4 in 1
HD Output



Color Night
Vision



OSD
Control



Plug & Play



SILVER
SERIES

2 MP

SC-ASR20DP-W25

- 2MP AHD Dome Color+ Camera
- 3.6mm Lens (2.8/6mm Optional)
- Light Range Upto 20m
- Plastic Body



SC-ASR20DP-W25A

- 2MP AHD Dome Color+ Camera
- 3.6mm Lens (2.8/6mm Optional)
- Light Range Upto 20m
- In-Built Mic
- Plastic Body



5 MP

SC-ASR50DP-W25

- 5MP AHD Dome Color+ Camera
- 3.6mm Lens (2.8/6mm Optional)
- Light Range Upto 20m
- Plastic Body



SC-ASR50DP-W25A

- 5MP AHD Dome Color+ Camera
- 3.6mm Lens (2.8/6mm Optional)
- Light Range Upto 20m
- In-Built Mic
- Plastic Body



2 MP

SC-ASR20BP-W25

- 2MP AHD Bullet Color+ Camera
- 3.6mm Lens (2.8/6mm Optional)
- Light Range Upto 20m
- IP66 Plastic Body



SC-ASR20BP-W25A

- 2MP AHD Bullet Color+ Camera
- 3.6mm Lens (2.8/6mm Optional)
- Light Range Upto 20m
- In-Built Mic
- IP66 Plastic Body



5 MP

SC-ASR50BP-W25

- 5MP AHD Bullet Color+ Camera
- 3.6mm Lens (2.8/6mm Optional)
- Light Range Upto 20m
- IP66 Plastic Body



SC-ASR50BP-W25A

- 5MP AHD Bullet Color+ Camera
- 3.6mm Lens (2.8/6mm Optional)
- Light Range Upto 20m
- In-Built Mic
- IP66 Plastic Body





AHD Hybrid (Dual Light) Camera

Silver Series

- Progressive Scan Digital Image Sensor
- Hybrid LEDs for Smart Color Night Vision
- True Day /Night with IR Cut Filter (ICR)
- OSD Control 4 IN 1 Outputs (AHD-TVI-CVI-CVBS)
- In-Built Mic (Optional)



4 in 1
HD Output



Dual Light
Smart LED



OSD
Control



Plug & Play



SILVER
SERIES

2 MP

SC-ASR20DP-D25

- 2MP AHD Hybrid
- Dome Camera
- 3.6 mm Lens
- Dual Light Range Upto 20 Mtr
- Plastic Body



5 MP

SC-ASR50DP-D25

- 5MP AHD Hybrid
- Dome Camera
- 3.6 mm Lens
- Dual Light Range Upto 20 Mtr
- Plastic Body



2 MP

SC-ASR20BP-D25

- 2MP AHD Hybrid
- Bullet Camera
- 3.6 mm Lens
- Dual Light Range Upto 20 Mtr
- IP66 Plastic Body



5 MP

SC-ASR50BP-D25

- 5MP AHD Hybrid
- Bullet Camera
- 3.6 mm Lens
- Dual Light Range Upto 20 Mtr
- IP66 Plastic Body





AHD Digital Video Recorder

Silver Series

- 5-in-1, AHD/TVI/CVI/CVBS/IP camera supported
- H.265+/H.265 Video Compression
- VGA & HDMI Video Output
- Additional IP Channels apart from AHD Channels
- HD Recording & Playback
- 3G/4G/WiFi Dongle Support
- Upto 10 TB HDD Supported per SATA Port



Universal Input



Additional IP Channels



H.265 Compression



AI Augmented



Mobile Access



SILVER
SERIES

4 CH

SR-XR0401S201-GH

- 4 AHD/TVI/CVI/CVBS Channels
- 2 Additional IP Channels
- Upto 2MP HD Cameras
- 1 SATA with upto 10TB Supported



SR-XR0401S501-GH

- 4 AHD/TVI/CVI/CVBS Channels
- 4 Additional IP Channels
- Upto 5MP HD Cameras
- 1 SATA with upto 10TB Supported



8 CH

SR-XR0801S201-GH

- 8 AHD/TVI/CVI/CVBS Channels
- 2 Additional IP Channels
- Upto 2MP HD Cameras
- 1 SATA with upto 10TB Supported



SR-XR0801S501-GH

- 8 AHD/TVI/CVI/CVBS Channels
- 4 Additional IP Channels
- Upto 5MP HD Cameras
- 1 SATA with upto 10TB Supported



16 CH

SR-XR1616S201-GH

- 16 AHD/TVI/CVI/CVBS Channels
- 2 Additional IP Channels
- Upto 2MP HD Cameras Supported
- 1 SATA with upto 10TB Supported



SR-XR1616S501-GH

- 16 AHD/TVI/CVI/CVBS Channels
- 4 Additional IP Channels
- Upto 5MP HD Cameras Supported
- 1 SATA with upto 10TB Supported



SR-XR1616S202-GH

- 16 AHD/TVI/CVI/CVBS Channels
- 2 Additional IP Channels
- Upto 2MP HD Cameras Supported
- 2 SATA with upto 10TB Each





IP Dome Camera

Silver Series

- High Resolution up to 5MP
- H.265+/H.265 Video Compression
- Intelligent Analytics Supported- Human Detection, Intrusion Detection, Line Crossing Detection
- Onvif Compliant
- In-Built Mic (Optional)



Megapixel Resolution



AI Augmented



Smart IR



Onvif Compatible



IP66



SILVER SERIES

3 MP

SC-IS30D-3P25

- 3MP IP Dome Camera
- 3.6 mm Lens (2.8/6mm Optional)
- IR Range upto 30 mtr
- Plastic Body



5 MP

SC-IS50D-3P25

- 5MP IP Dome Camera
- 3.6 mm Lens (2.8/6mm Optional)
- IR Range upto 30 mtr
- Plastic Body



3 MP

SC-IS30D-3M25

- 3MP IP Metal Dome Camera
- 3.6 mm Lens (2.8/6mm Optional)
- IR Range upto 30 mtr
- IP66 Metal Body



5 MP

SC-IS50D-3M25

- 5MP IP Metal Dome Camera
- 3.6 mm Lens (2.8/6mm Optional)
- IR Range upto 30 mtr
- IP66 Metal Body



3 MP

SC-IS30D-3L25

- 3MP IP Vandal Dome Camera
- 3.6 mm Lens (2.8/6mm Optional)
- IR Range upto 30 mtr
- IP66 & IK10 Metal Body



5 MP

SC-IS50D-3L25

- 5MP IP Vandal Dome Camera
- 3.6 mm Lens (2.8/6mm Optional)
- IR Range upto 30 mtr
- IP66 & IK10 Metal Body



3 MP

SC-IS30D-V12L3

- 3MP IP Varifocal Vandal Dome Camera
- 2.8-12mm Varifocal lens
- IR Range upto 30 mtr
- IP66 & IK10 Metal Body



5 MP

SC-IS50D-V12L3

- 5MP IP Varifocal Vandal Dome Camera
- 2.8-12mm Varifocal lens
- IR Range upto 30 mtr
- IP66 & IK10 Metal Body





IP Dome Camera

Silver Series

- High Resolution Sensor up to 5MP
- H.265+/H.265 Video Compression
- Intelligent Analytics Supported- Human Detection, Intrusion Detection, Line Crossing Detection
- Onvif Compliant
- In-Built Mic (Optional)
- SD Card Support



Megapixel Resolution



AI Augmented



Smart IR



Onvif Compatible



IP66



SILVER SERIES

3 MP

SC-IST30D-3P25

- 3MP IP Dome Camera
- 3.6mm lens (2.8/6 mm Optional)
- IR Range upto 30 mtr
- SD card supported up to 512GB.
- Plastic Body



5 MP

SC-IST50D-3P25

- 5MP IP Dome Camera
- 3.6mm lens (2.8/6 mm Optional)
- IR Range upto 30 mtr
- SD card supported up to 512GB.
- Plastic Body



3 MP

SC-IST30D-3M25

- 3MP IP Metal Dome Camera
- 3.6mm lens (2.8/6 mm Optional)
- IR Range upto 30 mtr
- SD card supported up to 512GB.
- IP66 Metal Body



5 MP

SC-IST50D-3M25

- 5MP IP Metal Dome Camera
- 3.6mm lens (2.8/6 mm Optional)
- IR Range upto 30 mtr
- SD card supported up to 512GB.
- IP66 Metal Body



3 MP

SC-IST30D-3L25

- 3MP IP Vandal Dome Camera
- 3.6mm lens (2.8/6 mm Optional)
- IR Range upto 30 mtr
- SD card supported up to 512GB.
- IP66 & IK10 Metal Body



5 MP

SC-IST50D-3L25

- 5MP IP Vandal Dome Camera
- 3.6mm lens (2.8/6 mm Optional)
- IR Range upto 30 mtr
- SD card supported up to 512GB.
- IP66 & IK10 Metal Body



3 MP

SC-IST30D-V12L3

- 3MP IP Varifocal Vandal Dome Camera
- 2.8-12mm Varifocal lens
- IR Range upto 30 mtr
- SD card supported up to 512GB.
- IP66 & IK10 Metal Body



5 MP

SC-IST50D-V12L3

- 5MP IP Varifocal Vandal Dome Camera
- 2.8-12mm Varifocal lens
- IR Range upto 30 mtr
- SD card supported up to 512GB.
- IP66 & IK10 Metal Body





IP Bullet Camera

Silver Series

- High Resolution up to 5MP
- H.265+/H.265 Video Compression
- Intelligent Analytics Supported- Human Detection, Intrusion Detection, Line Crossing Detection
- Onvif Compliant
- In-Built Mic (Optional)



Megapixel Resolution



AI Augmented



Smart IR



Onvif Compatible



IP66



SILVER SERIES

3 MP

SC-IS30B-3P25

- 3MP IP Bullet Camera
- 3.6 mm Lens (2.8/6mm Optional)
- IR Range upto 30 mtr
- IP66 Plastic Body



SC-IS30B-3M25

- 3MP IP Metal Bullet Camera
- 3.6 mm Lens (2.8/6mm Optional)
- IR Range upto 30 mtr
- IP66 Metal Body



SC-IS30B-6P4

- 3MP IP Bullet Camera
- 6mm lens
- IR Range upto 40 mtr
- IP66 Plastic Body



SC-IS30B-6M4

- 3MP IP Metal Bullet Camera
- 6mm lens
- IR Range upto 40 mtr
- IP66 Metal Body



3 MP



5 MP

SC-IS50B-3P25

- 5MP IP Bullet Camera
- 3.6 mm Lens (2.8/6mm Optional)
- IR Range upto 30 mtr
- IP66 Plastic Body



SC-IS50B-3M25

- 5MP IP Metal Bullet Camera
- 3.6 mm Lens (2.8/6mm Optional)
- IR Range upto 30 mtr
- IP66 Metal Body



SC-IS50B-6P4

- 5MP IP Bullet Camera
- 6mm lens
- IR Range upto 40 mtr
- IP66 Plastic Body



SC-IS50B-6M4

- 5MP IP Metal Bullet Camera
- 6mm lens
- IR Range upto 40 mtr
- IP66 Metal Body



5 MP





IP Bullet Camera

Silver Series

- High Resolution Sensor up to 5MP
- H.265+/H.265 Video Compression
- Intelligent Analytics Supported- Human Detection, Intrusion Detection, Line Crossing Detection
- Onvif Compliant
- In-Built Mic (Optional)
- SD Card Support



Megapixel Resolution



AI Augmented



Smart IR



Onvif Compatible



IP66



SILVER SERIES

3 MP

SC-IST30B-3P25

- 3MP IP Bullet Camera
- 3.6 mm Lens (2.8/6mm Optional)
- IR Range upto 30 mtr
- SD card supported up to 512GB.
- IP66 Plastic Body



SC-IST30B-3M25

- 3MP IP Metal Bullet Camera
- 3.6 mm Lens (2.8/6mm Optional)
- IR Range upto 30 mtr
- SD card supported up to 512GB.
- IP66 Metal Body



3 MP

SC-IST30B-6P4

- 3MP IP Bullet Camera
- 6mm lens
- IR Range upto 40 mtr
- SD card supported up to 512GB.
- IP66 Plastic Body



SC-IST30B-6M4

- 3MP IP Metal Bullet Camera
- 6mm lens
- IR Range upto 40 mtr
- SD card supported up to 512GB.
- IP66 Metal Body



5 MP

SC-IST50B-3P25

- 5MP IP Bullet Camera
- 3.6 mm Lens (2.8/6mm Optional)
- IR Range upto 30 mtr
- SD card supported up to 512GB.
- IP66 Plastic Body



SC-IST50B-3M25

- 5MP IP Metal Bullet Camera
- 3.6 mm Lens (2.8/6mm Optional)
- IR Range upto 30 mtr
- SD card supported up to 512GB.
- IP66 Metal Body



5 MP

SC-IST50B-6P4

- 5MP IP Bullet Camera
- 6mm lens
- IR Range upto 40 mtr
- SD card supported up to 512GB.
- IP66 Plastic Body



SC-IST50B-6M4

- 5MP IP Metal Bullet Camera
- 6mm lens
- IR Range upto 40 mtr
- SD card supported up to 512GB.
- IP66 Metal Body





IP Bullet Camera

Silver Series

- High Resolution up to 5MP
- H.265+/H.265 Video Compression
- Intelligent Analytics Supported- Human Detection, Intrusion Detection, Line Crossing Detection
- Onvif Compliant
- In-Built Mic (Optional)



Megapixel Resolution



AI Augmented



Smart IR



Onvif Compatible



IP66



SILVER SERIES

SC-IS30B-8M5

- 3MP IP Long Range Bullet Camera
- 8mm lens
- IR Range upto 50 mtr
- IP66 Metal Body



3 MP

SC-IS50B-8M5

- 5MP IP Long Range Bullet Camera
- 8mm lens
- IR Range upto 50 mtr
- IP66 Metal Body



5 MP

SC-IS30B-V12M3

- 3MP IP Varifocal Bullet Camera
- 2.8-12mm Varifocal lens
- IR Range upto 30 mtr
- IP66 Metal Body



3 MP

SC-IS50B-V12M3

- 5MP IP Varifocal Bullet Camera
- 2.8-12mm Varifocal lens
- IR Range upto 30 mtr
- IP66 Metal Body



5 MP

SC-IST30B-8M5

- 3MP IP Long Range Bullet Camera
- IR Range upto 50 mtr
- SD card supported up to 512GB.
- IP66 Metal Body



3 MP

SC-IST50B-8M5

- 5MP IP Long Range Bullet Camera
- 8mm lens
- IR Range upto 50 mtr
- SD card supported up to 512GB.
- IP66 Metal Body



5 MP

SC-IST30B-V12M3

- 3MP IP Varifocal Bullet Camera
- 2.8-12mm Varifocal lens
- IR Range upto 30 mtr
- SD card supported up to 512GB.
- IP66 Metal Body



3 MP

SC-IST50B-V12M3

- 5MP IP Varifocal Bullet Camera
- 2.8-12mm Varifocal lens
- IR Range upto 30 mtr
- SD card supported up to 512GB.
- IP66 Metal Body



5 MP





IP Color+ Camera

Silver Series

- High Resolution Sensor up to 5MP
- Smart White LEDs for Color Night Vision
- H.265+/H.265 Video Compression
- Intelligent Analytics Supported- Human Detection, Intrusion Detection, Line Crossing Detection
- In-Built Mic (Optional)



Megapixel Resolution



AI Augmented



Color Night Vision



Mobile App Access



Onvif Compatible



SILVER SERIES

2 MP

SC-ISR20DP-W25

- 3MP IP Dome Color+ Camera
- 3.6 mm Lens (2.8/6mm Optional)
- Light Range up to 20 mtr
- Plastic Body



5 MP

SC-ISR50DP-W25

- 5MP IP Dome Color+ Camera
- 3.6 mm Lens (2.8/6mm Optional)
- Light Range up to 20 mtr
- Plastic Body



2 MP

SC-ISR20BP-W25

- 3MP IP Bullet Color+ Camera
- 3.6 mm Lens (2.8/6mm Optional)
- Light Range up to 20 mtr
- IP66 Plastic Body



5 MP

SC-ISR50BP-W25

- 5MP IP Bullet Color+ Camera
- 3.6 mm Lens (2.8/6mm Optional)
- Light Range up to 20 mtr
- IP66 Plastic Body





IP Hybrid (Dual Light) Camera

Silver Series

- High Resolution Sensor up to 5MP
- Hybrid LEDs for Smart Color Night Vision
- H.265+/H.265 Video Compression
- Intelligent Analytics Supported- Human Detection, Intrusion Detection, Line Crossing Detection
- In-Built Mic (Optional)



Megapixel Resolution



AI Augmented



Dual Light Smart LED



Onvif Compatible



IP66



SILVER SERIES

3 MP

SC-ISR20DP-D25

- 3MP IP Dome Hybrid Camera
- 3.6 mm Lens (2.8/6mm Optional)
- Dual Light Range up to 20 mtr.
- Plastic Body



5 MP

SC-ISR50DP-D25

- 5MP IP Dome Hybrid Camera
- 3.6 mm Lens (2.8/6mm Optional)
- Dual Light Range up to 20 mtr.
- Plastic Body



3 MP

SC-ISR20BP-D25

- 3MP IP Bullet Hybrid Camera
- 3.6 mm Lens (2.8/6mm Optional)
- Dual Light Range up to 20 mtr.
- IP66 Plastic Body



5 MP

SC-ISR50BP-D25

- 5MP IP Bullet Hybrid Camera
- 3.6 mm Lens (2.8/6mm Optional)
- Dual Light Range up to 20 mtr.
- IP66 Plastic Body





SILVER SERIES

IP PTZ Camera

Silver Series

- High Resolution up to 5MP
- 30X Optical Zoom
- Intelligent Extended IR Illumination
- Onvif Compliant
- IP 66



Megapixel Resolution



AI Augmented



Smart IR



Onvif Compatible



IP66

2 MP

SS-IBR20030P

- 2MP IP PTZ Camera
- 30X Optical Zoom
- IR Range up to 120m
- IP66 Semi Metal Body



5 MP

SS-IBR50030P

- 5MP IP PTZ Camera
- 30X Optical Zoom
- IR Range up to 120m
- IP66 Semi Metal Body





Network Video Recorder

Silver Series

- Support IPC resolution up to Ultra HD 4K
- H.265+/H.265 Video Compression
- ONVIF Compatible
- Supports Intelligent Analytics
- Smart Playback Supported for Efficient Search
- Upto 10 TB HDD Supported per SATA port



4K Ultra HD Support



Smart Playback



Supports Upto 10TB/SATA



Mobile Access



Onvif Compatible



SILVER SERIES

4 CH

SR-NS04F501-H

- 4 Channel NVR
- 80 Mbps Adaptive Bandwidth
- H.265+/H.265 Video Compression
- 1 SATA upto 10TB HDD Support
- Plastic Body



SR-NP04F501-H

- 4 Channel NVR
- 80 Mbps Adaptive Bandwidth
- H.265+/H.265 Video Compression
- 1 SATA upto 10TB HDD Support
- Metal Body



8 CH

SR-NS08F501-H

- 8 Channel NVR
- 80 Mbps Adaptive Bandwidth
- H.265+/H.265 Video Compression
- 1 SATA upto 10TB HDD Support
- Plastic Body



SR-NP08F501-H

- 8 Channel NVR
- 80 Mbps Adaptive Bandwidth
- H.265+/H.265 Video Compression
- 1 SATA upto 10TB HDD Support
- Metal Body



16 CH

SR-NS16F801-H

- 16 Channel NVR
- 80 Mbps Adaptive Bandwidth
- H.265+/H.265 Video Compression
- 1 SATA upto 10TB HDD Support
- Plastic Body



SR-NP16F501-H

- 16 Channel NVR
- 80 Mbps Adaptive Bandwidth
- H.265+/H.265 Video Compression
- 1 SATA upto 10TB HDD Support
- Metal Body



16 & 32 CH

SR-NP16F602-H (16 CH) SR-NP32F602-H (32 CH)

- 16/32 Channel NVR
- 480 Mbps Adaptive Bandwidth
- H.265+/H.265 Video Compression
- 2 SATA upto 10TB Each
- Metal Body



36 CH

SR-NP36F602-H

- 36 Channel NVR
- 480 Mbps Adaptive Bandwidth
- H.265+/H.265 Video Compression
- 2 SATA upto 10TB Each
- Metal Body





i - Home Series

Silver Series

- H.264/H.265 Compression
- SD card supported up to 128/512GB
- Auto Tracking Supported (PT Models)
- 360° Pan Range (PT Models)
- Wi-Fi 2.4 GHz Support
- IP66 (Outdoor Models)
- 1 SATA support up to 10TB (NVR)
- Available in 4/8 channels (NVR)
- AI Enabled



SILVER
SERIES

3 MP

SC-IW330DP-W
Dome Wi-Fi Camera



SC-IW330BP-W
Bullet Wi-Fi Camera



SC-IW330DM-W
Metal Dome Wi-Fi Camera



5 MP

SC-IW530DP-W
Dome Wi-Fi Camera



SC-IW530BP-W
Bullet Wi-Fi Camera



SC-IW530DM-W
Metal Dome Wi-Fi Camera



2/3/5 MP

SC-IW210TP-W
2 MP PT Wi-Fi Camera



SC-IW310TP-W
3 MP PT Wi-Fi Camera



SC-IW510TP-W
5 MP PT Wi-Fi Camera



4 & 8 CH

SR-NW04F601-H
4CH Wi-Fi NVR



SR-NW08F601-H
8CH Wi-Fi NVR





All-around Solutions for varied Needs

**Border & Defence
Security Solutions**



**NHAI & ITMS
Security Solutions**



**Railway/Metro
Security Solutions**



**AVIATION AIRPORTS
Security Solutions**



**Hospitality
Security Solutions**



**Critical Infrastructure
Security Solutions**



**Tunnels
Security Solutions**



**HealthCare
Security Solutions**



**Banking
Security Solutions**



**Education
Security Solutions**



**Home/Office
Security Solutions**





Samridhi Automations Pvt. Ltd.

Corporate Headquarter: F-365, Sector-63 Noida-201307, U.P. (India) Tel.:+91 120 4518900 Fax.: +91 120 4518901	Manufacturing Unit-1 Plot No. 75, Sector-7, IIE SIDCUL, Haridwar-249403 Uttarakhand (India) Tel.:+91 1334-239396	Manufacturing Unit-2 F-424, Sector 63, Noida-201307,UP (India) Tel.: +91 0120 4518900	Manufacturing Unit-3 Plot No. -78, Sector -7, IIE , SIDCUL, Haridwar -249403 (U.k)	Upcoming Manufacturing Unit-4 S-2, Plot no-6, 7, 8, 9, SIIDCUL Near IIM Kashipur Kashipur - 244713 Uttarakhand
---	--	--	---	--

info@sparshsecuritech.com | sales@sparshsecuritech.com | www.sparshsecuritech.com

Overseas Office (USA):
1113 Walnut Wood Road,
Cockeysville MD 21030

Toll Free Customer Support Number:

1800 102 0524

Branches: Delhi | Mumbai | Kolkata | Bangalore | Noida | Haridwar | Himachal Pradesh | Amritsar | Nagpur | Kochi (Kerala) | Haryana | Jammu & Kashmir | Odisha | Coimbatore | Chennai | Gujarat | Patna

** Due to continuous technology up-gradation, designs and specifications are subject to change without notice. ** The photos and images used here only for reference purpose. The actual product may vary. *** The logos used here carry no commercial usage. They belong to their respective owners.*